



U.S. Department of Transportation

National Highway Traffic Safety Administration

### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



# PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

 $\mathbf{PSU}_{\perp} 90$ 

CASE NO. 610P

TYPE OF ACCIDENT Car/Pedestrian/Straight Path

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)


Vehicle 1 was west bound approaching an intersection. The pedestrian was crossing road southbound. The front of vehicle 1 struck the left side of the pedestrian who wrapped onto the hood and then came off the vehicle.

	B. PEDESTRIAN PROFILE									
Pedestrian Treatment/ (TO BE COMPLETED BY ZONE CENTER)										
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	93	Male	Hospitalized	Brain	Contusion	3	Reflector Post			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severit</li> </ul>


C. VEHICLE PROFILE								
	Class		Most Severe Damage Based on Vehicle Inspection					
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description				
01	Compact	91/Subaru/Legacy	Front	Dent, scratch, blood				

DO NOT SANITIZE THIS FORM




# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number $\underline{\mathcal{I}}$	)		Case	Numbe	r-Stratum <u>6</u> / <u>Ø</u> P			
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTION	(		SCALED DIAGRAM			
document reference point and reference line relative to physical features	Surface Type	Surface Type Bit Asphalt.			north arrow placed on diagram			
<ul> <li>documentation of all accident induced physical evidence including (if applicable):</li> </ul>	Surface Condition	on	vey_	1 ~	ade measurements for all applicable adways			
a) vehicle skid marks	Coefficient of Fri	iction	. 73		aled representations of the physical plant cluding:			
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement		a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)			
c) vehicle/pedestrian point of impact (POI)	a) at impa	act	<u> </u>	b)	all traffic controls (e.g., lights, signs)			
d) location of pedestrian separation point from vehicle.	b) between	en impact and st	0	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final st based upon either:			
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travi				physical evidence, or			
documentation of the physical plant including:	Vehicle Travel D	Direction E	15TTO West	b)	reconstructed accident dynamics			
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	ei Lanes						
b) all traffic controls (e.g., lights, signs)								
Reference Point: Bus STDP	SICH		rence Line. 1		Curb Live			
Item			ince and Direction Reference Point		Distance and Direction from Reference Line			
Vehicle#1 POI		4,	On EAST		9.5 m South			
PECESTRIAN#1POI		4,	DM EAS	\_  -	9,5m South			
Vehicle#1-FRP		3.	on Eas	1	10.0m South			
Pedestrian#1- FRP		0	.5~ EA	51	13.0m South			
Bus STOP SIEN+PO	le (RP)				1.3m NorTh			
(0~	'See	ve)						



### **ACCIDENT COLLISION DIAGRAM**

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY



	l	
Š	•	•
3.	Department	of Transportation
ıu	onat Highwa	ay Traffic Safety
	INICETESTION.	

top of the A pillar.

DIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

itional Highway Traffic Safety Iministration	PEDESTRIAN A	CCIDENT FORM NATIONAL ACCIDENT	DATA STUDY
	90	SPECIAL STUDIES - INDICATOR	S
*. Primary Sampling Unit Number	$\frac{1}{\sqrt{2}}$	Check (✓) each special study (SS15-SS19 belo	ow) that
2. Case Number - Stratum	<u>3 / U = </u>	has been completed; code 1 for the checked studies and 0 for the special studies not checked	special
IDENTIFICAT	ION	6SS15 Administrative Use	_0_
3. Number of General Vehicle		63315 Administrative 999	
Forms Submitted	<u>0 1</u>	7. ✓SS16 Pedestrian Crash Data Study	
4. Date of Accident (Month.Day.Year)		8SS17 Impact Fires	<u>.</u>
5. Time of Accident	0949	9SS18	
Code reported military time	of accident.	10. SS19	
NOTE. Mianight = 2400			
Unknown = 9999		NUMBER OF EVENTS	
		11. Number of Recorded Events	
		in This Accident	0 1
	PEDESTRIAN S	STUDY CRITERIA	
Pedestrian Definition:			1 - 50
Note: Pedestrians include persons was on to a venicle.	ino are in contact with the	itiguous with a trafficway, or on private property (e.g., par ground, roadway, etc. and are pushing carts, wagons, et	
defined as any human powered devi	conveyance for purposes wheelchairs, animals, etc.	s and are excluded from this study. A nonmotorist converse may move, or by which a pedestrian or nonmotorist may of this study includes the following: bicycles, baby carrier, For example, persons on a bicycle/scooter, roller skatinged.	des roller
Case Selection Criteria:			
pedestnan.		DS applicable vehicle (VEH07 equals 01 to 49) must strik	
The striking portion of the vehicle strong parts removed in the impact areal previously damaged in the impact are	For example, vehicles eq	uipment manufacturer (OEM) without previous damage quipped with deer guards, winches, snow plows, etc. or	and
The pedestrian may not be lying or s	sitting.		
case.	•	ultiple pedestrians are impacted, each pedestrian shall b	
The first point of contact between th	e late model year, CDS ap	plicable vehicle and the pedestrian must be forward of th	ie

		PEDESTRIAN	ACCIDENT	EVENTS		
Accident Event Sequence Number	Venicle Number	Class Of Venicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Venicle	General Area of Damage
12. <u>0 1</u>	13. <u>0 1</u>	14. 0 7	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

# U.S. Department of Transportation

### PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 90	10x Pedestrian's Weight
2. Case Number - Stratum 6 10 P	Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	150 pounds X .4536 = $268$ kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex  (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown  6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(9) Unknown  12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown  — inches × 2.54 = centimeters  8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact D 7
	(01) At sides
15. Pedestrian's First Avoidance Actions OO	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
	(00) Hando in position
, ,	One or both arms:
	(06) Extended upward
(05) Turned toward vehicle (06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(07) Dove of left away	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(00)	$\sim 4$
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
FEDESTRIANS ORIENTATION AT IMPAGE	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground (98) Other (specify):
(3) To right	(99) Unknown
(4) Up	(99) OTINIOWIT
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
\-/ - · · · ·	dragged by vehicle (12) Shunted to left (corner impacts only)
	(12) Shunted to left (corner impacts only)  (13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, rotated (16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
	(98) Other (specify): (99) Unknown  to reflect  pole

OFFICIAL RECORDS		INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	<u>O</u>	25. Injury Severity (Police Rating)  (0) O - No injury  (1) C - Possible injury  (2) B - Nonincapacitating injury  (3) A - Incapacitating injury  (4) K - Killed  (5) U - Injury, severity unknown
22. Alcoho! Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR		Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	0	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>0</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

> STOP=VARIABBES≾U THROUGH <i>37-</i> A	RECOMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score	34. 1st Medically Reported Cause of Death
(00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	35. 2nd Medically Reported Cause of Death  36. 3rd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood?  (1) No - blood not given  (2) Yes - blood given  (specify units):  (9) Unknown if blood given	this pedestrian's death  (00) Not fatal or no additional causes  (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)  (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	S INCLUDED WITH INITIAL SUBMISSION?  YES[]
UPDATE CANDIDATE?	• •

Administration

U.S. Department of Transportation
National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

90

3. Pedestrian Number

0 1

2. Case Number - Stratum

6 10 P

4. Blank

<u>X</u> <u>X</u>

### **INJURY DATA**


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>Z</u>	6. <u>Y</u>	7. <b>9</b>	8. <u>04</u>	9. <u>8</u> 2	- 10. <u>/</u>	111.2	12, <u>70</u> 0	13. 1	14/	152		17.2
2nd	18.3	192	20. <u>9</u>	21. <u>7 (</u>	22. <u>0</u> 2	-23. /_	24/	25. 9 4	F 26. <u>/</u>	27. <u>/</u>	28	> <sub>29.</sub> _0	30. 🔼
3rd	31. <u>3</u>	322	33. <u>9</u>	34. <u>7</u> <u>4</u>	35. <u>0</u> <u>)</u>	36	37. 🗸	38. <u>948</u>	39. 🖊	40./	41. 🙋	42. <u>O</u>	43, 🔼
4th	44.2	45. 2	46. 9	47. <u>04</u>	48. <b>0 )</b>	- <sub>49.</sub> _/	<sub>50.</sub> <u>/</u>	51. <u>948</u>	52. 🖊	53. <u>/</u>	54. <u>0</u>	55. <u>O</u>	56. <u>O</u>
5th	57.2	<sub>58.</sub> <u>2</u>	<sub>59.</sub> <u>5</u>	60. <u>/_</u> 2	61. <u>0</u> 4	62. 3	63. <u>/</u>	64. <u>94</u> 8	65. <u>/</u>	66. /	67. <u>O</u>	68. <u>Ø</u>	69. <u></u>
6th	70. 2	71	72. 💆	73. <u>0</u> 6	74. <u>8</u> 4	75.3	76. <u>/</u>	77. <u>948</u>	78. <u> </u>	79	80. <u>Ø</u>	810	82. <u>O</u>
7th	83. <u>2</u>	84. /	85. <u>4</u>	86. <u>0</u> <u>6</u>	87. <u>0</u>	88. 3	89. <u>/</u>	90. <u>948</u>	91. 🖊	92. /	93. <u>Ø</u>	94. 🙆	95. <u>O</u>
8th	96. 3	97(	986	99. 04	100. <u>99</u>	101. <u>/</u>	<sub>102.</sub> <u>D</u>	103. <u>9 48</u>	104. <u>/</u>	105	106. 0	107. <u>O</u>	108. <u>O</u>
9th	109. 3	110. 8	111. <b>9</b>	112. <u>02</u> 1	13. <u>0</u> 2	114/	115. <u>/</u>	116. <u>9 47</u>	117. <b>/</b>	118	119. 💋	120. 🔿	121.0
10th	122. 3	123.8	124. 9	125. <b>04</b> 1	<sub>26.</sub> <u>0</u> 2	127. <u>/</u>	128. 🖊	<sub>129.</sub> 9 4 7	130	131. 🖊	132. 🙋	133. 🙋	134. <u>O</u>

PEDESTRIAN INJURY DATA												
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th <u>J</u>	8_	9	04	02	1	<u>/</u>	947	<u></u>	L	0	0	<u>o</u>
12th		—			_			-		_	—	_
13th					_				_	—	_	_
14th			—		_					—		
15th		_	<u></u>									
16th		<u></u>							<u></u>	<del></del>		
17th	<del></del>	<u>-</u>			—			<u>—</u>		_	_	
18th		<u></u> -			_	<del></del>		<u> </u>	<del>-</del> -	<u></u>	<u></u>	
19th									<del>-</del> -	_	_	<u>—</u>
20th											<u> </u>	
21st												
22nd								, 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
23rd												
24th												
25th			· · · · · · · · · · · · · · · · · · ·									

### OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



### (0) Injury not from vehicle contact Probable No damage/contact (1) Autopsy records with or without hospital/ (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown Dent Hospital/medical records other than (4) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** (5) Cracked, fractured, shattered summary) Direct contact injury Indirect contact injury (6)Separated from vehicle Emergency room records only (including (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: (7) Injured, unknown source Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact (0) Injury not from vehicle contact UNOFFICIAL Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) No residual damage (5) Lay coroner report (2) (3) Surface only damage (6) E.M.S. personnel Rounded edge (3) Crush depth >0 to 2 centimeters (7) Interviewee Sharp edge Other (specify): Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters (5) (4) (8) Other source (specify): (5) (8) (8) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Head Whole Area Minor injury (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (06) Lumbar (2) Moderate injury (3) Neck (3) Serious injury (4) Vessels, Nerves, Organs. Bones, Joints are assigned consecutive two digit Thorax (4) Severe injury Abdomen (08) Skin - Avulsion (5) Critical injury (6) Spine (10) Amputation numbers beginning with 02 Maximum (untreatable) **Upper Extremity** (7)(20) Burn Injured, unknown severity (8) Lower Extremity (30) Crush Level of Injury (40) Degloving (50) Injury - NFS (9) Unspecified Aspect Specific injuries assigned Type of Anatomic Structure two-digit Trauma, other than mechanical consecutive (1) Right numbers beginning with 02. Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) Bilateral Vessels To the extent possible, within the organizational framework of the AIS, 00 (4) Central (5) Anterior is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Organs (includes muscles/ ligaments) (4) (10) Concussion (6) Posterior (7) Superior Skeletal (includes joints) (8)Inferior (6) (9) Head - LOC structure. 99 is assigned to any injury Unknown Skin NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 746 D pillar 702 Front grille 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 749 Right side roof rail 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 948 Other object (specify): reflector Post 949 Unknown object: 778 Backlight glazing Right Side Components 779 Rear header

780 Hatchback

781 Rear trunk lid

788 Other top component (specify): \_

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

Certain

**TYPE OF DAMAGE** 

949 Unknown object in environment

997 Noncontact injury source

999 Unknown injury source

959 Unknown object on contacting vehicle

**SOURCE OF INJURY DATA** 

740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

OFFICIAL

### OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

\_\_\_ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

\_\_\_ Yes

unavailable.)

Blood Alcohol Level

BAL =

Glasgow Coma

gcss = 15

Units of Blood Given

Units = 🕹


**Arterial Blood Gases** 

Ph = \_\_.\_

PO<sub>2</sub> =


PCO<sub>2</sub>

HCO<sub>3</sub>



# OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration	RIAN GEN	IERAL VEHICLE FORM NATIONAL ACCIDE	NT SAMPLING SYS
Primary Sampling Unit Number	90	OFFICIAL RECORDS	CRASH DATA ST
2. Case Number - Stratum	6 / 0 P	9. Police Reported Travel Speed	999
3. Vehicle Number  VEHICLE IDENTIFICATION	<u>0</u> <u>1</u>	Code to the nearest kmph (NOTE: 0 less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown	)00 means
4. Vehicle Model Year  Code the last two digits of the model y (99) Unknown		mph X 1.6093 = kmph  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph	<u>064</u>
Applicable codes are found in your NASS PCDS Data Collection, Coding ar Editing Manual.	<u>48</u>	(999) Unknown  40 mph X 1.6093 = 64 kmph	
6. Vehicle Model (specify):	<u>34</u>	<ul> <li>11. Police Reported Alcohol Presence Fo</li> <li>(0) No alcohol present</li> <li>(1) Yes alcohol present</li> <li>(7) Not reported</li> <li>(8) No driver present</li> <li>(9) Unknown</li> </ul>	r'Driver O
Applicable codes are found in your NASS PCDS Data Collection, Coding an Editing Manual. (999) Unknown  7. Body Type Note: Applicable codes may be found or the back of this page.	04	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown	96
8. Vehicle Identification Number  4 5 3 3	1	Source: PAR  13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown	0
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown	0

### **CODES FOR BODY TYPE**

### CDS APPLICABLE VEHICLES

### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched
- (13) Three-wheel automobile or automobile derivative

### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

# Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

### OTHER VEHICLES

### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

# Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):\_\_\_\_\_
- (89) Unknown motored cycle type

### Other Vehicles


- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  — Code weight to nearest 10 kilograms.  (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown  D2,730 lbs x .4536 = 1,238 kgs	18. Impact Speed  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:  16. Vehicle Cargo Weight  Code weight to nearest  10 kilograms.  (000) Less than 5 kilograms  (450) 4,500 kilograms or more  (999) Unknown  [bs X .4536 =, kgs]	19. Accuracy Range of Impact Speed Estimate  (0) No reconstruction  (1) Less than 2 kmph  (2) ≥ 2 kmph and ≤ 8 kmph  (3) ≥ 9 kmph and ≤ 16 kmph  (4) ≥ 17 kmph and ≤ 26 kmph  (9) Unknown  20. Data Source of Impact Speed  (0) No impact speed calculated  (1) Zone center calculation  (2) Police calculation  (3) Driver/witness/police estimates
	PRECRASH DATA
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP VARIABLES 18 THROUGH 20  ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

9.0	
23. Critical Precrash Event <u>8</u> <u>0</u>	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(O1) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(O2) Stalled engine	roadway (specify):
(O3) Disabling vehicle failure (e.g., wheel fell off) (specify):	(85) Pedalcyclist or other nonmotorist—unknown location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	24 Attempted Avoidance Maneuver 2 8
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneaver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(O3) Braking (lockup)
(17) Crossing over (passing through) intersection (19) Unknown travel direction	(O4) Braking (lockup unknown) (O5) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	-
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30 degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	7
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver (2) Vehicle stayed in travel lane where avoidance
(72) From driveway, turning into opposite direction	maneuver was initiated
(73) From driveway, intended path not known	(3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access highway	where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian in roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
(02) - Cuestilan—unknoven location	(9) Directional consequences unknown

•	ENVIRONMI	ENTAL DATA
27.	Relation to Junction (O) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	33. Roadway Surface Condition  (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) Unknown type of non-interchange (9) Unknown if interchange  Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown  Number of Travel Lanes (1) One	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)  Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):  (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):
	(2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	(9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile  (1) Level  (2) Uphill Grade (>2%)  (3) Downhill Grade (>2%)  (4) Hillcrest  (5) Sag  (9) Unknown	(9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
	Roadway Surface Type  (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):  (9) Unknown	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li></ul>

$$f = 0.65^{-1}$$
  
 $S = 0.5^{-1}$   
 $V = \sqrt{12)(0.5^{-1})(0.65^{-1})} (82.2)$   
 $V = 4.6 fPS = 3.1 mph = 5 KPh$   
 $\frac{5}{4} KPh$ 



PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

0 1

2. Case Number - Stratum

### VEHICLE IDENTIFICATION

VIN 453 13 C 63 2 1 m 9

Model Year \_\_\_\_\_\_/

Vehicle Make (specify): Sa BRARLE

PEV15 Front Bumper Reinforcement Material

STEEL

Vehicle Model (specify):

# PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	STEET
PEV08 Hood Length	/ 0 / cm
PEV09 Hood Width-Forward Opening	1 4 2 cm
PEV10 Hood Width-Midway	
PEV11 Hood Width-Rear Opening	146 cm
PEV14 Front Bumper Cover Material	PLASTIC

### VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	<u>D</u> 4 cm
PEV17 Front Bumper-Top Height	<u> 555</u> cm
PEV18 Forward Hood Opening	067 cm
PEV19 Front Bumper Lead	<u>09</u> cm

### WRAP DISTANCES

PEV20 Ground to Forward Hood Opening	$\frac{\mathcal{D}}{\mathcal{L}} = \frac{\mathcal{D}}{\mathcal{L}} = \frac{\mathcal{D}}{\mathcal{L}}$ cm
PEV21 Ground to Front/Top Transition Point	$\frac{575}{}$ cm
PEV22 Ground to Rear Hood Opening	$\angle ZL cm$
PEV23 Ground to Base of Windshield	181 cm
PEV24 Ground to Top of Windshield	273 cm/
PEV25 Ground to Head Contact	<u>O</u> O O cm

# National Accident Sampling System-Crashworthiness Data System: Pedestrian Exterior Vehicle Form **VEHICLE DAMAGE SKETCH** Pumper Smukas

Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) NOTES: and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:


PEDESTRIAN SIDE CONTACT WORK S	HEET	
PEV06 Hood Material		
PEV08 Hood Length		cm
PEV09 Hood Width-Forward Opening		on .
PEV10 Hood Width-Midway		cm
PEV11 Hood Width-Rear Opening		cm
PEVIT Hood Width Hook Opening		
VERTICAL MEASUREMENTS		
PEV26 Ground Clearance	/	cm
PEV27 Side Bumper-Bottom Height	/	cm
PEV28 Side Bumper-Top Height		cm
PEV29 Centerline of Wheel		cm
PEV30 Top of Tire		cm
PEV31 Top of Wheel Well Opening		cm !
PEV32 Bottom of A-Pillar at Windshield		cm
PEV33 Top of A-Pillar at Windshield		cm.
PEV34 Top of Side View Mirror		cm
ATERAL MEASUREMENTS		
PEV35 C <sub>L</sub> to A-Pillar at Bottom of Windshield		cm
PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield		cm
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion		cm
WRAP DISTANCES		
PEV38 Ground to Side/Top Transition		cm
PEV39 Ground to Hood Edge		cm
PEV40 Ground to Centerline of Hood (ORIGIN)		cm
PEV41 Ground to Head Contact	<del></del>	cm
1 27 Touris to Frodu Somast		

# **ORIGINAL SPECIFICATIONS**

•

Wheelbase	1016	inches	x 2.54	=	<u> 2 5 8 cm</u>
Overall Length	1776	inches	x 2.54	=	<u>451</u> cm
Maximum Width	0465	inches	x 2.54	=	1 6 9 cm
Curb Weight $Q$	2730	pounds	x .4536	=	<u>/. 2 3 8</u> kg
Average Track	0499	inches	x 2.54	=	<u>/ 2 7</u> cm
Front Overhang	_ n/a_	inches	x 2.54	=	CM
Rear Overhang	_ n/a_	inches	x 2.54	= .	CM
Undeformed End Width	_ U/a_	inches	x 2.54	=	cm
Engine Size: cyl./displ.	2200	CC	× .001	=	22
	134				2.7 L

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Ciosed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
,	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar	·	808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground.
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environment
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
742 A1 pillar	788 Other top component (specify):	997 Noncontact injury source
743 A2 pillar	789 Unknown top component	999 Unknown injury source



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 753 cm

NOTES:

### POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET LATERAL CRUSH CONFIDENCE LEVEL OF SEQUENCE LONGITUDINAL CONTACT COMPONENT SUPPORTING PHYSICAL EVIDENCE CONTACT POINT LOCATION SUSPECTED 10 CONTACTED LOCATION BODY REGION (Circle) (X) CENTIMETERS LABEL +26 LØ 2 3 9 1)2 3 9 **)**2 3 9 +06 1 2 3 9 +09 1 2 3 9 1 2 3 9 1 2 3 9 1239 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9

POINTS OF PEDESTRIAN CONTACT									
			CHRONO	LOGICAL ORI	DER OF CONTACTS	i			
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL - LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)		
1	100	104	-11	0	L. Hrue	scult	O 2 3 9		
2					1		1 2 3 9		
3			Was	1 no N	die	(0,	1 2 3 9		
4		Per	,	12	res !	L s K	1 2 3 9		
5		\	our 1		4		1 2 3 9		
6							1 2 3 9		
7							1 2 3 9		
8							1 2 3 9		
9							1 2 3 9		
10							1 2 3 9		
11					•		1 2 3 9		
12							1 2 3 9		
13							1 2 3 9		
14							1 2 3 9		
15							1 2 3 9		
16							1 2 3 9		
17							1 2 3 9		
18							1 2 3 9		
19							1 2 3 9		
20							1 2 3 9		
21							1 2 3 9		
22							1 2 3 9		
23							1 2 3 9		
24							1 2 3 9		
25						!	1 2 3 9		

VEHICLE DIMENSIONS	11. Hood Width Rear Opening / 4 6
4. Original Wheelbase Z 5 8 Code to the nearest centimeter	Code to the  nearest centimeter (210) 210 centimeters or more
(999) Unknown $\frac{101.6}{1000} = \frac{258}{1000} = \frac{1000}{1000}$ inches x 2.54 = $\frac{258}{1000} = \frac{258}{1000} = \frac{1000}{1000}$	(999) Unknown $0.57.4_{\text{inches}} \times 2.54 = 4.4_{\text{centimeters}}$
5. Original Average Track Width  Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown  949. 9 inches X 2.54 = 121 centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian  (0) Not damaged  (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters)  (3) Moderate crush (4-7 centimeters)  (4) Severe crush (>7 centimeters)  (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify):	(9) Unknown  13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	<ul> <li>(4) Unknown if contacted by pedestrian - damaged</li> <li>(9) Unknown if contacted by pedestrian - unknown if damaged</li> <li>FRONT CONTACT DAMAGE</li> </ul>
8. Hood Length  Code to the  nearest centimeter  (180) 180 centimeters or more  (999) Unknown  39.7 inches x 2.54 = /0/centimeter  9. Hood Width Forward Opening  Code to the	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
nearest centimeter (210) 210 centimeters or more (999) Unknown  D 5 5. \( \frac{1}{2} \) inches X 2.54 = \( \frac{14}{2} \) Centimeters  10. Hood Width Midway  Code to the  nearest centimeter (210) 210 centimeters or more	15. Front Bumper Reinforcement Material  (0) No front contact  (1) Steel  (2) Aluminum  (3) Stainless Steel  (4) Other (specify):  (9) Unknown  16. Front Bumper-Bottom Height  Code to the
(999) Unknown $0.55.9 \text{ inches } \times 2.54 = 4.42 \text{ centimeters}$	nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown $O / 6.5 \text{ inches } \times 2.54 = 0.42 \text{ centimeters}$

17. Front Bumper-Top Height  Code to the  nearest centimeter  (000) No front contact  (150) 150 centimeters or more  (999) Unknown  2 2 1 6 inches x 2.54 = 6 5 5 centimeters	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  271. Zinches X 2.54 = /8/ centimeters
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  D 26.3 inches × 2.54 = D 6.1 centimeters  19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown  1014 inches × 2.54 = 273 centimeters  25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
$0.03.5$ inches $\times 2.54 = 0.09$ centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
	•
20. Ground to Forward Hood Opening 0 7 0  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  Office 1 5 inches × 2.54 = 0 7 0 centimeters  21. Ground to Front/Top Transition Point 7 5  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  Office 2 5 inches × 2.54 = 7 5 centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

29. Centerline of Wheel	000	Side Lateral Measurem	ents
Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact	000
inches X 2.54 =		Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown	
30. Top of Tire Code to the	000	inches X 2.54 =	centimeters
nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =	centimeters	36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter (000) No side contact	000
31. Top of Wheel Well Opening	000	(250) 250 centimeters or more (999) Unknown	
Code to the nearest centimeter (000) No side contact		inches X 2.54 =	centimeter
(250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion	000
inches X 2.54 =		Code to the nearest centimeter (000) No side contact	
32. Bottom of A-Pillar at Windshield  Code to the nearest centimeter	<u> </u>	(300) 300 centimeters or more (999) Unknown	
(000) No side contact (250) 250 centimeters or more (999) Unknown		inches X 2.54 =	centimeter
inches X 2.54 =	centimeters	Side Wrap Distance Measur	
33. Top of A-Pillar at Windshield  Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	000	38. Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown	000
inches X 2.54 =	centimeters	inches X 2.54 =	centimeters
34. Top of Side View Mirror  Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	000	39. Ground to Hood Edge  Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown	<u>O</u> O O
inches X 2.54 =	centimeters	inches X 2.54 =	centimeters

	<del></del>		<del>                                     </del>		
40. Ground to Center	rline of Hood	000			
Code to the nearest ce					
(000) No side co	ontact				
(700) 700 centii (999) Unknown					
. inch	es X 2.54 =	centimeters			
		000			
41. Ground to Head (	Jontact ne	000			
nearest ce (000) No side co	entimeter				
(800) 800 centil	meters or more				
(998) No head o (999) Unknown					
inch	ies X 2.54 =	centimeters			
				•	